

STAR-KNOBS

Moderne manopole con illuminazione

Le STAR-KNOBS di OKW sono concepite come elementi di comando con funzione rotante e, con encoder adatto, anche con funzione di selezione a pressione per interfacce basate su menù. È così possibile controllare diverse funzioni con una sola manopola. L'illuminazione opzionale conferisce un tocco espressivo per un design moderno dell'apparecchio.

- Design innovativo della manopola, disponibile come variante a filo o sporgente
- Nel montaggio a filo, le manopole STAR-KNOBS collegano con eleganza la manopola e la parte frontale dell'apparecchio; nella versione traslucida possono essere illuminate in base alle necessità, cioè si accende un anello tra l'avvallamento e la copertura della manopola
- Nella variante sporgente, il design della manopola convince per il corpo leggermente inclinato verso l'asse interno che consente un impiego ergonomico; la manopola è posizionata su un anello alto ca. 3 mm che può essere illuminato su richiesta
- Illuminazione con moderna tecnologia SMD-LED a risparmio energetico con alimentatori da 5 V: a scelta con retroilluminazione per le tonalità diamante, smeraldo e zaffiro nonché retroilluminazione RGB per risultati personalizzati come accessori
- Manopola senza/con zigrinature
- Copertura senza/con avvallamento per le dita per comodità d'impiego nella regolazione
- Sistema con attacco a pinza di provata validità ben fissato sull'asse
- Coppia max.: di montaggio = 1,5 Nm, durante l'esercizio = 1,2 Nm

Dimensioni manopole Fori asse

ø 33 mm	6 mm, 1/4"
ø 41 mm	6 mm

Numero minimo di componenti per una manopola STAR-KNOBS:

1 manopola, 1 copertura, 1 set di montaggio




Avvertenza sull'illuminazione:

Per la **variante a filo** scegliere la manopola in versione traslucida (diamante, smeraldo o zaffiro).

Per la **variante sporgente** scegliere il set di montaggio in versione traslucida (diamante o zaffiro).

Retroilluminazione bianca/RGB come accessorio.

STAR-KNOBS



Esempi di applicazione

Per potenziometri rotanti o encoder rotativi con estremità arrotondate secondo DIN 41591, anche con funzione di selezione a pressione.

- Metrologia e tecnica di regolazione
- Tecnica medicale e di laboratorio
- Wellness
- Health Care
- Tecnica di riscaldamento e di condizionamento dell'aria
- Comunicazione
- Edifici
- Smart Factory



Control element for respiratory assistance apparatus



Control unit for photovoltaic solar installations



Heater for blood, blood substitutes and infusion solutions



Multiple analytical resonance system

Modifiche specifiche del cliente

STAR-KNOBS

Che caratteristiche deve avere il vostro prodotto personalizzato? Su richiesta vi forniamo i contenitori e manopole pronti per il montaggio e con tutte le modifiche e le caratteristiche specifiche.
Opzioni prodotto per Star-Knobs



Lavorazione
meccanica



Verniciatura



Stampa



Marcatura laser



Confezionamento /
montaggio

Versioni



B8733118
Assembly kit 33, flush fitting
version
PA 6
volcano



B8733119
Assembly kit 33, flush fitting
version
PA 6
nero



B8733201
Assembly kit 33, surface-
mounted version
PC (UL 94 HB)
diamond



B8733206
Assembly kit 33, surface-
mounted version
PC (UL 94 HB)
sapphire



B8733218
Assembly kit 33, surface-
mounted version
PA 6
volcano



B8733219
Assembly kit 33, surface-
mounted version
PA 6
nero



B8741118
Assembly kit 41, flush fitting
version
PA 6
volcano



B8741119
Assembly kit 41, flush fitting
version
PA 6
nero

STAR-KNOBS



B8741201
Assembly kit 41, surface-mounted version
PC (UL 94 HB)
diamond



B8741206
Assembly kit 41, surface-mounted version
PC (UL 94 HB)
sapphire



B8741218
Assembly kit 41, surface-mounted version
PA 6
volcano



B8741219
Assembly kit 41, surface-mounted version
PA 6
nero

System components to complete



B8033068
STAR-KNOBS 33
PA 6
volcano
33x14mm 6mm



B8033069
STAR-KNOBS 33
PA 6
nero
33x14mm 6mm



B8033638
STAR-KNOBS 33
PA 6
volcano
33x14mm 1/4"



B8033639
STAR-KNOBS 33
PA 6
nero
33x14mm 1/4"



B8041068
STAR-KNOBS 41
PA 6
volcano
41x14mm 6mm



B8041069
STAR-KNOBS 41
PA 6
nero
41x14mm 6mm



B8133068
STAR-KNOBS 33, with knurls
PA 6
volcano
33x14mm 6mm




B8133069
STAR-KNOBS 33, with knurls
PA 6
nero
33x14mm 6mm



B8133638
STAR-KNOBS 33, with knurls
PA 6
volcano
33x14mm 1/4"



B8133639
STAR-KNOBS 33, with knurls
PA 6
nero
33x14mm 1/4"



B8141068
STAR-KNOBS 41, with knurls
PA 6
volcano
41x14mm 6mm



B8141069
STAR-KNOBS 41, with knurls
PA 6
nero
41x14mm 6mm

STAR-KNOBS



B8233061
 STAR-KNOBS 33
 PC (UL 94 HB)
 diamond
 33x14mm 6mm



B8233065
 STAR-KNOBS 33
 PC (UL 94 HB)
 emerald
 33x14mm 6mm



B8233066
 STAR-KNOBS 33
 PC (UL 94 HB)
 sapphire
 33x14mm 6mm



B8233631
 STAR-KNOBS 33
 PC (UL 94 HB)
 diamond
 33x14mm 1/4"



B8233635
 STAR-KNOBS 33
 PC (UL 94 HB)
 emerald
 33x14mm 1/4"



B8233636
 STAR-KNOBS 33
 PC (UL 94 HB)
 sapphire
 33x14mm 1/4"



B8241061
 STAR-KNOBS 41
 PC (UL 94 HB)
 diamond
 41x14mm 6mm



B8241065
 STAR-KNOBS 41
 PC (UL 94 HB)
 emerald
 41x14mm 6mm



B8241066
 STAR-KNOBS 41
 PC (UL 94 HB)
 sapphire
 41x14mm 6mm



B8333061
 STAR-KNOBS 33, with knurls
 PC (UL 94 HB)
 diamond
 33x14mm 6mm



B8333065
 STAR-KNOBS 33, with knurls
 PC (UL 94 HB)
 emerald
 33x14mm 6mm



B8333066
 STAR-KNOBS 33, with knurls
 PC (UL 94 HB)
 sapphire
 33x14mm 6mm



B8333631
 STAR-KNOBS 33, with knurls
 PC (UL 94 HB)
 diamond
 33x14mm 1/4"



B8333635
 STAR-KNOBS 33, with knurls
 PC (UL 94 HB)
 emerald
 33x14mm 1/4"




B8333636
 STAR-KNOBS 33, with knurls
 PC (UL 94 HB)
 sapphire
 33x14mm 1/4"



B8341061
 STAR-KNOBS 41, with knurls
 PC (UL 94 HB)
 diamond
 41x14mm 6mm

STAR-KNOBS



B8341065
STAR-KNOBS 41, with knurls
PC (UL 94 HB)
emerald
41x14mm 6mm



B8341066
STAR-KNOBS 41, with knurls
PC (UL 94 HB)
sapphire
41x14mm 6mm



B8633008
Cover 33
PA 6
volcano



B8633009
Cover 33
PA 6
nero



B8633108
Cover 33, with finger recess
PA 6
volcano




B8633109
Cover 33, with finger recess
PA 6
nero



B8641008
Cover 41
PA 6
volcano



B8641009
Cover 41
PA 6
nero




B8641108
Cover 41, with finger recess
PA 6
volcano




B8641109
Cover 41, with finger recess
PA 6
nero

Accessory "illumination"



B7546001
LED illumination kit, 8 LEDs
(RGB backlight)



B8733004
LED illumination kit

STAR-KNOBS

Accessory



A6207009
Round nut M7 x 0.75



A6210009
Round nut M10 x 0.75



A6295009
Round nut 3/8"-32G



A6300000
Spanner



B8733001
Assembly support 33
ABS (UL 94 HB)
green



B8741001
Assembly support 41
ABS (UL 94 HB)
green

Salvo modifiche tecniche. © OKW Gehäusesysteme, Buchen/Germania.