

SOFT-CASE

Obudowy kieszonkowe o wielu formatach

Obudowy SOFT-CASE wybierane są przez projektantów, ponieważ odpowiadają dzisiejszym potrzebom konstrukcyjnym i technologicznym.

- poręczna konstrukcja z miękkimi bokami dla przyjemnego i pewnego chwytu
- unikalny "szeroki format" pomaga w projektowaniu interfejsu, a także zapewnia wystarczająco dużo miejsca dla większych wyświetlaczy. Nie zapominając jednocześnie o komforcie użytkownika
- podniesiona miejsce połączenia panelu z obudową, aby pomieścić więcej połączeń
- uniwersalne zastosowanie do ręki, na biurko i na ścianę
- cztery rozmiary
- opcjonalne pierścienie pośrednie zapewniają większą wysokość. Różne wersje: kolorowe lub chromowane pierścienie z ABS lub miękki pierścień TPE
- pierścień z TPE, klasa szczelności IP 54 (wersje bez pojemnika baterii w ABS lub PMMA)
- dwa materiały: ABS (UL 94 HB) lub PMMA przepuszczające światło podczerwone (UL 94 HB)
- bez / z pojemnikami baterii dla 2 x AAA, 2 x AA, 4 x AA lub 1 x 9 V; klapka baterii może być dodatkowo przykręcana
- zagłębienie pod klawiaturę membranową lub folię
- Combi-Clip - służy jako zaczep do paska i/lub jako element zawieszenia ściennego (wyposażenie dodatkowe)
- odchylana nóżka do oparcia a biurku
- wewnętrzne tuleje do mocowania płytek PCB



SOFT-CASE

Aplikacje i przykłady


- Wszystkie typy pilotów sterowania, bezprzewodowo lub z kablem
- Urządzenia pomiarowe i kontrolne
- Cyfrowe sterowanie
- Medycyna i komunikacja
- Urządzenia peryferyjne i interfejsowe
- Technologia komunikacji
- IoT/IloT
- Inżynieria środowiska
- Zarządzanie energią



Digital joystick for ISO bus machines



Geiger counter with logging function



HRV scanner for analysing the autonomic nervous system



Module for smart mobility applications



Multimedia audioguide for museums



Real-time localisation in the healthcare sector



Remote control unit for AutoSat satellite receiver



RFID Reader



RIDEwatcher Multimeter for ride profiles



Sensor for measuring carbon dioxide concentration

Opcje dostosowywania

Czego potrzebujesz do spersonalizowania, swojego produktu? Dostarczamy obudowy i pokręta wraz ze wszystkimi niezbędnymi wymaganymi modyfikacjami.
Opcje dostosowywania dla Soft-Case

SOFT-CASE



Obróbka obudów



Lakierowanie



Nadruk



Znakowanie laserowe



Folie dekoracyjne



Specjalne materiały



Powłoka EMC



Instalacja / montaż

Wersje



A9050107
SOFT-CASE S
ABS (UL 94 HB)
off-white RAL 9002
51x82x14mm
IP 54 opt., IP 40



A9050108
SOFT-CASE S
ABS (UL 94 HB)
lava
51x82x14mm
IP 54 opt., IP 40



A9050209
SOFT-CASE S
PMMA (IR) (UL 94 HB)
black RAL 9005
51x82x14mm
IP 54 opt., IP 40



A9051107
SOFT-CASE M
ABS (UL 94 HB)
off-white RAL 9002
65x105x19mm
IP 54 opt., IP 40



A9051108
SOFT-CASE M
ABS (UL 94 HB)
lava
65x105x19mm
IP 54 opt., IP 40



A9051117
SOFT-CASE M
ABS (UL 94 HB)
off-white RAL 9002
65x105x19mm
IP 40



A9051118
SOFT-CASE M
ABS (UL 94 HB)
lava
65x105x19mm
IP 40



A9051209
SOFT-CASE M
PMMA (IR) (UL 94 HB)
black RAL 9005
65x105x19mm
IP 54 opt., IP 40

SOFT-CASE



A9051219
SOFT-CASE M
PMMA (IR) (UL 94 HB)
black RAL 9005
65x105x19mm
IP 40



A9052107
SOFT-CASE L
ABS (UL 94 HB)
off-white RAL 9002
73x117x24mm
IP 54 opt., IP 40



A9052108
SOFT-CASE L
ABS (UL 94 HB)
lava
73x117x24mm
IP 54 opt., IP 40



A9052117
SOFT-CASE L
ABS (UL 94 HB)
off-white RAL 9002
73x117x24mm
IP 40



A9052118
SOFT-CASE L
ABS (UL 94 HB)
lava
73x117x24mm
IP 40



A9052127
SOFT-CASE L
ABS (UL 94 HB)
off-white RAL 9002
73x117x24mm
IP 40



A9052128
SOFT-CASE L
ABS (UL 94 HB)
lava
73x117x24mm
IP 40



A9052209
SOFT-CASE L
PMMA (IR) (UL 94 HB)
black RAL 9005
73x117x24mm
IP 54 opt., IP 40



A9052219
SOFT-CASE L
PMMA (IR) (UL 94 HB)
black RAL 9005
73x117x24mm
IP 40



A9052229
SOFT-CASE L
PMMA (IR) (UL 94 HB)
black RAL 9005
73x117x24mm
IP 40



A9053107
SOFT-CASE XL
ABS (UL 94 HB)
off-white RAL 9002
92x150x28mm
IP 40



A9053108
SOFT-CASE XL
ABS (UL 94 HB)
lava
92x150x28mm
IP 40



A9053117
SOFT-CASE XL
ABS (UL 94 HB)
off-white RAL 9002
92x150x28mm
IP 40



A9053118
SOFT-CASE XL
ABS (UL 94 HB)
lava
92x150x28mm
IP 40



A9053209
SOFT-CASE XL
PMMA (IR) (UL 94 HB)
black RAL 9005
92x150x28mm
IP 40



A9053219
SOFT-CASE XL
PMMA (IR) (UL 94 HB)
black RAL 9005
92x150x28mm
IP 40

SOFT-CASE

Accessory "intermediate ring"



A9150011
Intermediate ring S
ABS (UL 94 HB)
matt chromed
54x85x12mm



A9150017
Intermediate ring S
ABS (UL 94 HB)
off-white RAL 9002
54x85x12mm



A9150018
Intermediate ring S
ABS (UL 94 HB)
lava
54x85x12mm




A9150118
Intermediate protection ring S
SEBS (TPE)
volcano
54x85x12mm



A9150219
Intermediate ring S
PMMA (IR) (UL 94 HB)
black RAL 9005
54x85x12mm




A9151011
Intermediate ring M
ABS (UL 94 HB)
matt chromed
68x108x16mm



A9151017
Intermediate ring M
ABS (UL 94 HB)
off-white RAL 9002
68x108x16mm



A9151018
Intermediate ring M
ABS (UL 94 HB)
lava
68x108x16mm



A9151118
Intermediate protection ring M
SEBS (TPE)
volcano
68x108x16mm



A9152129
Intermediate ring M
PMMA (IR) (UL 94 HB)
black RAL 9005
68x108x16mm



A9152011
Intermediate ring L
ABS (UL 94 HB)
matt chromed
76x120x21mm



A9152017
Intermediate ring L
ABS (UL 94 HB)
off-white RAL 9002
76x120x21mm




A9152018
Intermediate ring L
ABS (UL 94 HB)
lava
76x120x21mm



A9152118
Intermediate protection ring L
SEBS (TPE)
volcano
76x120x21mm



A9152219
Intermediate ring L
PMMA (IR) (UL 94 HB)
black RAL 9005
76x120x21mm



A9153011
Intermediate ring XL
ABS (UL 94 HB)
matt chromed
96x154x26mm

SOFT-CASE



A9153017
Intermediate ring XL
ABS (UL 94 HB)
off-white RAL 9002
96x154x26mm



A9153018
Intermediate ring XL
ABS (UL 94 HB)
lava
96x154x26mm




A9153118
Intermediate ring XL
SEBS (TPE)
volcano
96x154x26mm



A9153219
Intermediate ring XL
PMMA (IR) (UL 94 HB)
black RAL 9005
96x154x26mm

Accessory "battery"



A9151010
Set of battery clips, 2 x AAA
Steel
nickel-plated



A9152010
Set of battery clips, 2/4 x AA
Steel
nickel-plated



A9174006
Set of battery clips, 1 x 9 V
Steel
tin-plated

Accessory "wall/holder"



A9152047
Combi-Clip
ABS (UL 94 HB)
off-white RAL 9002
45x27mm



A9152048
Combi-Clip
ABS (UL 94 HB)
lava
45x27mm



A9152049
Combi-Clip
ABS (UL 94 HB)
black RAL 9005
45x27mm

Accessory "carrying"



A9100001
Ring eyelet
PA 6
volcano



A9100002
Ring eyelet
PA 6
volcano



A9152047
Combi-Clip
ABS (UL 94 HB)
off-white RAL 9002
45x27mm



A9152048
Combi-Clip
ABS (UL 94 HB)
lava
45x27mm

SOFT-CASE



A9152049
 Combi-Clip
 ABS (UL 94 HB)
 black RAL 9005
 45x27mm



B9106128
 Strap eyelet
 ABS (UL 94 HB)
 lava

Accessory "screws"



A0304031
 Self-tapping screws 2.2 x 5 mm
 (PZ1)

Accessory



A9152057
 Tilt foot bar
 ABS (UL 94 HB)
 off-white RAL 9002



A9152058
 Tilt foot bar
 ABS (UL 94 HB)
 lava



A9152059
 Tilt foot bar
 ABS (UL 94 HB)
 black RAL 9005

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.