

SYNERGY

Harmonická materiálová kombinace

Nový SYNERGY kombinuje výhody plastů a hliníku v jednom konceptu:

- Moderní program pouzder ve čtyřech základních geometrických tvarech - čtvercový, obdélníkový, kruhový a oválný ***** Design produktu iF *****
- 36 velikostí případů s dostatečným prostorem pro elektroniku a ovládací prvky
- Šroubové připojení s šrouby z nerezové oceli a pohonem Torx
- Barevná kombinace: Hliníkové stříbro eloxované / plastové díly černé
- Dostatek prostoru pro rozhraní, bez návrhu, snadné instalace
- Zapuštěná oblast v horní části pro dekorativní fólie nebo membránové klávesnice
- Spodní část s otvíracím a sešroubovacím krytem: praktická pro použití s oddělením pro baterie nebo přístup do interiéru, např. pro paměťovou kartu nebo baterie připojené přímo k desce; Sada bateriových karet, Klipy baterie a držák knoflíkových článků jako příslušenství
- Vývod kabelu v dolní části (extra plochý síťový kabel, kulatý kabel až do \varnothing 4 mm)
- Extender (do katedrály) a držák na stěnu jako příslušenství
- Individuální řešení bydlení na vyžádání



SYNERGY

Aplikace a příklady

- Počítačové periferie
- Síťové technologie
- Stavebnictví
- Zabezpečení
- Lékařské a terapeutické aplikace
- Technologie měření, řízení
- IoT/IloT



Access control system



Battery filler for aviation batteries



CO2 traffic light




Electromagnetic impulse therapy with infrared light



Individual room control panels



Measuring system for creating metabolic profiles



Talking Thermostat



UHF RFID reader/writer



Ventilation system control



Wireless network access point

Přizpůsobení možností

Co ještě potřebujete pro svůj vlastní velmi osobní produkt? Můžeme dodat zapouzdření a ladicí knoflíky se všemi nezbytnými úpravami pro montáž vašich elektronických součástí.
Možnosti přizpůsobení pro Synergy

SYNERGY



Mechanické
opracování



Tisk



Laserové značení



Dekorační fólie



Stínění EMC



Kompletace / Montáž

Vyberte verze



EE163059
SYNERGY E160
Aluminium AIMgSi 0,5
matt anodised
160x80x40mm
IP 40



EE166059
SYNERGY E160
Aluminium AIMgSi 0,5
matt anodised
160x80x70mm
IP 40



EE169059
SYNERGY E160
Aluminium AIMgSi 0,5
matt anodised
160x80x100mm
IP 40



EE183059
SYNERGY E180
Aluminium AIMgSi 0,5
matt anodised
180x90x40mm
IP 40



EE186059
SYNERGY E180
Aluminium AIMgSi 0,5
matt anodised
180x90x70mm
IP 40



EE189059
SYNERGY E180
Aluminium AIMgSi 0,5
matt anodised
180x90x100mm
IP 40



EE203059
SYNERGY E200
Aluminium AIMgSi 0,5
matt anodised
200x100x40mm
IP 40



EE206059
SYNERGY E200
Aluminium AIMgSi 0,5
matt anodised
200x100x70mm
IP 40

SYNERGY



EE209059
SYNERGY E200
Aluminium AlMgSi 0,5
matt anodised
200x100x100mm
IP 40



EO163059
SYNERGY O160
Aluminium AlMgSi 0,5
matt anodised
160x80x40mm
IP 40



EO166059
SYNERGY O160
Aluminium AlMgSi 0,5
matt anodised
160x80x70mm
IP 40



EO169059
SYNERGY O160
Aluminium AlMgSi 0,5
matt anodised
160x80x100mm
IP 40



EO183059
SYNERGY O180
Aluminium AlMgSi 0,5
matt anodised
180x90x40mm
IP 40



EO186059
SYNERGY O180
Aluminium AlMgSi 0,5
matt anodised
180x90x70mm
IP 40



EO189059
SYNERGY O180
Aluminium AlMgSi 0,5
matt anodised
180x90x100mm
IP 40



EO203059
SYNERGY O200
Aluminium AlMgSi 0,5
matt anodised
200x100x40mm
IP 40



EO206059
SYNERGY O200
Aluminium AlMgSi 0,5
matt anodised
200x100x70mm
IP 40



EO209059
SYNERGY O200
Aluminium AlMgSi 0,5
matt anodised
200x100x100mm
IP 40



ER103059
SYNERGY R100
Aluminium AlMgSi 0,5
matt anodised
ø100x40mm
IP 40



ER106059
SYNERGY R100
Aluminium AlMgSi 0,5
matt anodised
ø100x70mm
IP 40



ER109059
SYNERGY R100
Aluminium AlMgSi 0,5
matt anodised
ø100x100mm
IP 40



ER123059
SYNERGY R120
Aluminium AlMgSi 0,5
matt anodised
ø120x40mm
IP 40



ER126059
SYNERGY R120
Aluminium AlMgSi 0,5
matt anodised
ø120x70mm
IP 40



ER129059
SYNERGY R120
Aluminium AlMgSi 0,5
matt anodised
ø120x100mm
IP 40

SYNERGY



ER143059
SYNERGY R140
Aluminium AIMgSi 0,5
matt anodised
ø140x40mm
IP 40



ER146059
SYNERGY R140
Aluminium AIMgSi 0,5
matt anodised
ø140x70mm
IP 40



ER149059
SYNERGY R140
Aluminium AIMgSi 0,5
matt anodised
ø140x100mm
IP 40



ES103059
SYNERGY S100
Aluminium AIMgSi 0,5
matt anodised
100x100x40mm
IP 40



ES106059
SYNERGY S100
Aluminium AIMgSi 0,5
matt anodised
100x100x70mm
IP 40



ES109059
SYNERGY S100
Aluminium AIMgSi 0,5
matt anodised
100x100x100mm
IP 40




ES123059
SYNERGY S120
Aluminium AIMgSi 0,5
matt anodised
120x120x40mm
IP 40



ES126059
SYNERGY S120
Aluminium AIMgSi 0,5
matt anodised
120x120x70mm
IP 40



ES129059
SYNERGY S120
Aluminium AIMgSi 0,5
matt anodised
120x120x100mm
IP 40



ES143059
SYNERGY S140
Aluminium AIMgSi 0,5
matt anodised
140x140x40mm
IP 40



ES146059
SYNERGY S140
Aluminium AIMgSi 0,5
matt anodised
140x140x70mm
IP 40



ES149059
SYNERGY S140
Aluminium AIMgSi 0,5
matt anodised
140x140x100mm
IP 40


Accessory "battery"




A9193033
Polarity reversal protection
device, positive terminal AA
ABS (UL 94 HB)
off-white RAL 9002



A9193034
Polarity reversal protection
device, positive terminal AAA
ABS (UL 94 HB)
off-white RAL 9002



A9193035
Battery clip, AA
Steel
nickel-plated



A9193036
Battery clip, AAA
Steel
nickel-plated


SYNERGY




A9193037
Button cell holder, Ø 20 mm




A9193038
Button cell holder, Ø 23 mm



A9193039
Button cell holder, Ø 12 mm



A9193040
Button cell holder, Ø 16 mm



EZ040609
Battery compartment, 3 x AA
ASA+PC (UL 94 V-0)
black RAL 9005




EZ050609
Battery compartment, 4 x AA
ASA+PC (UL 94 V-0)
black RAL 9005



EZ060609
Battery compartment, 2 x AA
ASA+PC (UL 94 V-0)
black RAL 9005

Accessory "wall/holder"



EZ030109
Wall suspension element
ASA+PC (UL 94 V-0)
black RAL 9005

Accessory "screws"



A0305031
Self-tapping screws 2.5 x 6 mm
(PZ1)



A0399T10
Torx T10 screwdriver



EZ031209
Extender kit
ASA+PC (UL 94 V-0)
black RAL 9005

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.